



# 4<sup>rd</sup> Meeting of the Polygonal Demarcations of Global Sea Areas Product Specification and Dataset (S-130) Project Team

## **Draft Data Quality chapter of S-130**

### **Agenda Item 3.7\_rev1**



IHO

## X.1 INTRODUCTION TO DATA QUALITY

International  
Hydrographic  
Organization

Data quality allows users and user systems to assess fitness for use of the provided data. Data quality measures and the associated evaluation are reported as metadata of a data product. This metadata improves interoperability with other data products and provides usage by user groups that the data product was not originally intended for. The secondary users can make assessments of the data product usefulness in their application based on the reported data quality measures.

For S-130 the following Data Quality Elements have been included:

- Conformance to this Product Specification;
- Intended purpose of the data product;
- Completeness of the data product in terms of coverage;
- Logical Consistency;
- Positional Uncertainty and Accuracy;
- Thematic Accuracy;
- Temporal Quality;
- Aggregation measures;
- Validation checks or conformance checks including:
  - General tests for dataset integrity;
  - Specific tests for a specific data model.



## X.2.1 Commission

- Commission is applicable for S-130.
- S-130 products must be tested with Commission checks prior to release by the data producer. The data producer must review the check results and address any issues to ensure sufficient quality of the data products. The checks are listed in Annex X. It is allowable to publish the data with a quality statement which indicates non-conformance.
- In terms of Commission, S-130 products shall at least populate **numberOfExcessItems** that indicates the number of items that should not have been present in the dataset, and **numberOfDuplicateFeatureInstances** that indicates the total number of exact duplications of feature instances within the data.

### DQ\_CompletenessCommission<sup>+</sup>

Excess data present in a data set. [Per ISO 19115]<sup>+</sup>

### Public Attributes:<sup>+</sup>

#### excessItem[0..1] : Boolean<sup>+</sup>

This data quality measure indicates that an item is incorrectly present in the data. [Adapted from ISO 19138]<sup>+</sup>

This is a Boolean where TRUE indicates that the item is in excess.<sup>+</sup>

#### numberOfExcessItems[0..1] : Integer<sup>+</sup>

This data quality measure indicates the number of items in the dataset that should not have been in the dataset. [Adapted from ISO 19138]<sup>+</sup>

This is an INTEGER count of the number of excess items.<sup>+</sup>

#### rateOfExcessItems[0..1] : Real<sup>+</sup>

This data quality measure indicates the number of excess items in the dataset in relation to the number of items that should have been present. [Adapted from ISO 19138]<sup>+</sup>

This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio.<sup>+</sup>

For example, if there are 5 measured values and 4 valid values then the ratio is 5/4 and the reported rate = 1.25.<sup>+</sup>

#### numberOfDuplicateFeatureInstances[0..1] : Integer<sup>+</sup>

This data quality measure indicates the total number of exact duplications of feature instances within the data. This is a count of all items in the data that are incorrectly extracted with duplicate geometries. [Adapted from ISO 19138]<sup>+</sup>

This is an integer representing the error count.<sup>+</sup>



IHO

## X.2 COMPLETENESS

### X.2.2 Omission

- Omission is applicable for S-130.
- S-130 products must be tested with Omission checks prior to release by the data producer. The data producer must review the check results and address any issues to ensure sufficient quality of the data products. The checks are listed in Annex X. It is allowable to publish the data with a quality statement which indicates non-conformance.
- In terms of Omission, S-130 products shall at least populate **numberOfMissingItems** that is the total number of missing items.

#### DQ\_CompletenessOmission<sup>↵</sup>

This data absent from a data set. [Per ISO 19115]<sup>↵</sup>

#### Public Attributes:<sup>↵</sup>

#### missingItem[0..1] : Boolean<sup>↵</sup>

This data quality measure is an indicator that shows that a specific item is missing in the data. [Adapted from ISO 19138]<sup>↵</sup>

This is a Boolean where TRUE indicates that an item is missing.<sup>↵</sup>

#### numberOfMissingItems[0..1] : Integer<sup>↵</sup>

This data quality measure indicates the count of all items that should have been in the dataset and are missing. [Adapted from ISO 19138]<sup>↵</sup>

This is an INTEGER count of the number of missing items.<sup>↵</sup>

#### rateOfMissingItems[0..1] : Real<sup>↵</sup>

This data quality measure indicates the number of missing items in the dataset in relation to the number of items that should have been present. [Adapted from ISO 19138]<sup>↵</sup>

This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio.<sup>↵</sup>

For example, if there are 3 measured values and 5 values are required the ratio is 3/5 and the reported rate = 0.6.<sup>↵</sup>

Source: S-100 Part 4c Metadata - Data Quality



## X.3.1 Conceptual Consistency

- Conceptual Consistency is applicable for S-130 and follows the guidelines from S-100 Part 1.
- S-130 products must be tested with Conceptual Consistency checks prior to release by the data producer. The data producer must review the check results and address any issues to ensure sufficient quality of the data products. The checks are listed in Annex X. Data should only be published if it passes the test.
- In terms of Conceptual Consistency, S-130 products shall at least populate **numberOfInvalidSurfaceOverlaps** that is the total number of erroneous overlaps within the data.

**DQ\_ConceptualConsistency** : **Adherence to the rules of a Conceptual Schema.** (Per ISO 19115)..

**Public Attributes:**..

**conceptualSchemaNonCompliance[0..1]** : **Boolean**..  
 This data quality measure is an indication that an item is not compliant to the rules of the relevant Conceptual Schema. [Adapted from ISO 19138]..  
 This is a Boolean where TRUE indicates that an item is not compliant with the rules of the Conceptual Schema..

**conceptualSchemaCompliance[0..1]** : **Boolean**..  
 This data quality measure is an indication that an item complies with the rules of the relevant Conceptual Schema. [Adapted from ISO 19138]..  
 This is a Boolean where TRUE indicates that an item is in compliance with the rules of the Conceptual Schema..

**numberOfNonCompliantItems[0..1]** : **Integer**..  
 This data quality measure is a count of all items in the dataset that are noncompliant to the rules of the Conceptual Schema. If the Conceptual Schema explicitly or implicitly describes rules, these rules have to be followed. Violations against such rules, for example, can be invalid placement of features within a defined tolerance, duplication of features and invalid overlap of features. [Adapted from ISO 19138]..  
 This is an integer count..

**numberOfInvalidSurfaceOverlaps[0..1]** : **Integer**..  
 This data quality measure is a count of the total number of erroneous overlaps within the data. Which surfaces may overlap and which must not is application dependent. Not all overlapping surfaces are necessarily erroneous. When reporting this data quality measure the types of feature classes corresponding to the illegal overlapping surfaces have to be reported as well. [Adapted from ISO 19138] ..  
 The allowable topological levels are described in the IHO/DGIWG joint profile of ISO 19107 Geographic Information Spatial Schema. Which particular topological structure may be used with a specific dataset is defined in the Product Specification for that type of data product, for example "Chain Node Topology" for IHO S-101..  
 This is an error count..

**nonComplianceRate[0..1]** : **Real**..  
 This data quality measure indicates the number of items in the dataset that are noncompliant to the rules of the Conceptual Schema in relation to the total number of these items that are expected to be in the dataset. [Adapted from ISO 19138]..  
 This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio..  
 For example, if there are 5 items that are non compliant and there are 100 of the items in the dataset then the ratio is 5/100 and the reported rate = 0.05..

**complianceRate[0..1]** : **Real**..  
 This data quality measure indicates the number of items in the dataset that are in compliance with the rules of the Conceptual Schema in relation to the total number of these items that are expected to be in the dataset. [Adapted from ISO 19138]..



## X.3.2 Domain Consistency

- Domain Consistency is applicable for S-130 and follows the guidelines from S-100 Part 5.
- S-130 products must be tested with Domain Consistency checks prior to release by the data producer. The data producer must review the check results and address any issues to ensure sufficient quality of the data products. The checks are listed in Annex X. It is allowable to publish the data with a quality statement which indicates non-conformance.
- In terms of Domain Consistency, S-130 products shall at least populate **numberOfNonconformantItems** that is a count of all items in the dataset that are not in conformance with their value domain.

### DQ\_DomainConsistency

Adherence of the values to the value domains. [Per ISO 19115].

#### Public Attributes:

##### valueDomainNonConformance[0..1] : Boolean..

This data quality measure is an indication that an item is not in conformance with its value domain. [Adapted from ISO 19138].

This is a Boolean where TRUE indicates that an item is not in conformance with its value domain..

##### valueDomainConformance [0..1] : Boolean..

This data quality measure is an indication that an item is conforming to its value domain. [Adapted from ISO 19138].

This is a Boolean where TRUE indicates that an item conforming to its value domain..

##### numberOfNonconformantItems[0..1] : Integer..

This data quality measure is a count of all items in the dataset that are not in conformance with their value domain. [Adapted from ISO 19138].

This is an integer count..

##### valueDomainConformanceRate[0..1] : Real..

This data quality measure indicates the number of items in the dataset that are in conformance with their value domain in relation to the total number of items in the dataset. [Adapted from ISO 19138].

This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio..

For example, if there are 95 items that are in conformance and there are 100 of the items in the dataset then the ratio is 95/100 and the reported rate = 0.95..

##### valueDomainNonConformanceRate[0..1] : Real..

This data quality measure indicates the number of items in the dataset that are not in conformance with their value domain in relation to the total number of items in the dataset. [Adapted from ISO 19138].

This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio..



IHO

## X.3 LOGICAL CONSISTENCY

International  
Hydrographic  
Organization

### X.3.3 Format Consistency

- Format Consistency is applicable for S-130 follows the guidelines from S-100 Part 10b.
- S-130 products must be tested with Format Consistency checks prior to release by the data producer. The data producer must review the check results and address any issues to ensure sufficient quality of the data products. The checks are listed in Annex X. Data should only be published if it passes the test.
- In terms of Format Consistency, S-130 products shall at least populate **physicalStructureConflicts** that is a count of all items in the dataset that are stored in conflict with the physical structure of the dataset.

#### DQ\_FormatConsistency

Degree to which data is stored in accordance with the physical structure of the data set. [Per ISO 19115]

#### Public Attributes:

#### physicalStructureConflicts[0..1] : Integer

This data quality measure is a count of all items in the dataset that are stored in conflict with the physical structure of the dataset. [Adapted from ISO 19138]

This is an integer count.

#### physicalStructureConflictRate[0..1] : Real

This data quality measure indicates the number of items in the dataset that are stored in conflict with the physical structure of the dataset divided by the total number of items. [Adapted from ISO 19138]

This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio.

For example, if there are 3 items that are in conflict and there are 100 of the items in the dataset then the ratio is 3/100 and the reported rate = 0.03.

Source: S-100 Part 4c Metadata - Data Quality



IHO

## X.3 LOGICAL CONSISTENCY

International  
Hydrographic  
Organization

### X.3.4 Topological Consistency

- Topological Consistency is applicable for S-130 and follows the guidelines from S-100 Part 7.
- S-130 products must be tested with Topological Consistency checks prior to release by the data producer. The data producer must review the check results and address any issues to ensure sufficient quality of the data products. The checks are listed in Annex X. Data should only be published if it passes the test.
- In terms of Topological Consistency, S-130 products shall at least populate **rateOfFaultyPointCurveConnections** that is the number of faulty link-node connections in relation to the number of supposed link-node connections, **numberOfMissingConnectionsUndershoots** that is a count of items in the dataset within the parameter tolerance that are mismatched due to undershoots, **numberOfMissingConnectionsOvershoots** that is a count of items in the dataset within the parameter tolerance that are mismatched due to overshoots, **numberOfInvalidSlivers** that is a count of all items in the dataset that are invalid sliver surfaces, **numberOfInvalidSelfIntersects** that is a count of all items in the dataset that illegally intersect with themselves, and **numberOfInvalidSelfOverlap** that is all items in the dataset that illegally self-overlap.





IHO

## X.3 LOGICAL CONSISTENCY

### DQ\_TopologicalConsistency

Measures of the topological consistency of geometric representations of features. [Adapted from ISO 19138]

Note: in ISO 19115, this is "Correctness of the explicitly encoded topological characteristics of a dataset", but ISO 19138 states that the measures "will not serve as measures of the consistency of explicit descriptions of topology using the topological objects specified in ISO 19107", and S-100 does not explicitly encode geometry.

### Public Attributes:

#### numberOfFaultyPointCurveConnections[0..1] : Integer

This data quality measure is a count of the number of faulty point-curve connections in the dataset. A point curve connection exists where different curves touch. These curves have an intrinsic topological relationship that has to reflect the true constellation. For example, two point-curve connections exist when there should only be one. [Adapted from ISO 19138]

This is an integer count.

#### rateOfFaultyPointCurveConnections[0..1] : Real

This data quality measure indicates the number of faulty link-node connections in relation to the number of supposed link-node connections. This data quality measure gives the erroneous point-curve connections in relation to the total number of point-curve connections. [Adapted from ISO 19138]

This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio.

For example, if there are 2 items that are faulty link-node connections and there are 100 of the connections in the dataset then the ratio is 2/100 and the reported rate = 0.02.

#### numberOfMissingConnectionsUndershoots[0..1] : Integer

This data quality measure is a count of items in the dataset within the parameter tolerance that are mismatched due to undershoots. [Adapted from ISO 19138]

This is an integer count.

#### numberOfMissingConnectionsOvershoots[0..1] : Integer

This data quality measure is a count of items in the dataset within the parameter tolerance that are mismatched due to overshoots. [Adapted from ISO 19138]

This is an integer count.

#### numberOfInvalidSlivers[0..1] : Integer

This data quality measure is a count of all items in the dataset that are invalid sliver surfaces. A sliver is an unintended area that occurs when adjacent surfaces are not digitized properly. The borders of the adjacent surfaces may unintentionally gap or overlap to cause a topological error. [Adapted from ISO 19138]

This is an integer count.

#### numberOfInvalidSelfIntersects[0..1] : Integer

This data quality measure is a count of all items in the dataset that illegally intersect with themselves. [Adapted from ISO 19138]

This is an integer count.

#### numberOfInvalidSelfOverlaps[0..1] : Integer

This data quality measure is a count of all items in the dataset that illegally self-overlap. [Adapted from ISO 19138]



IHO

## X.4 POSITIONAL UNCERTAINTY AND ACCURACY

### X.4.1 Vertical Position Accuracy

- Vertical Position Accuracy isn't applicable for S-130.

### X.4.2 Horizontal Position Accuracy

- Horizontal Position Accuracy is applicable for S-130 and follows the guidelines from S-100 Part 4c.
- S-130 products must be tested with Horizontal Position Accuracy checks prior to release by the data producer. The data producer must review the check results and address any issues to ensure sufficient quality of the data products. The checks are listed in Annex X. It is allowable to publish the data with a quality statement which indicates non-conformance.
- In terms of Horizontal Position Accuracy, S-130 products shall at least populate **linearMapAccuracy2Sigma** that is the half length of the interval defined by an upper and lower limit in which the true value lies with probability 95%.

### X.4.3 Gridded Data Positional Accuracy

- Gridded Data Position Accuracy isn't applicable for S-130.



IHO

# X.4 POSITIONAL UNCERTAINTY AND ACCURACY

Source: S-100 Part 4c Metadata - Data Quality

## DQ\_AbsoluteExternalPositionalAccuracy

Closeness of reported coordinative values to values accepted as or being true. [Per ISO 19115]

### Public Attributes:

#### meanValuePositionalUncertainties[0..1] : Real

Mean value of the positional uncertainties for a set of positions where the positional uncertainties are defined as the distance between a measured position and what is considered as the corresponding true position. [Adapted from ISO 19138]

#### meanExcludingOutliers[0..1] : Real

Mean value of the positional uncertainties, excluding outliers. For a set of points where the distance does not exceed a defined threshold, the arithmetical average of distances between their measured positions and what is considered as the corresponding true positions. [Adapted from ISO 19138]

#### numberOfPositionalUncertaintiesAboveThreshold[0..1] : Integer

Number of positional uncertainties above a given threshold for a set of positions. The errors are defined as the distance between a measured position and what is considered as the corresponding true position. [Adapted from ISO 19138]

#### rateOfPositionalErrorsAboveThreshold[0..1] : Real

Number of positional uncertainties above a given threshold for a set of positions in relation to the total number of measured positions. The errors are defined as the distance between the measured position and what is considered as the corresponding true position. [Adapted from ISO 19138]

#### covarianceMatrix[0..1] : Real Matrix

Symmetrical square matrix with variances of point coordinates on the main diagonal and covariances between these coordinates as off diagonal elements. [Adapted from ISO 19138]

#### linearErrorProbable[0..1] : Real

Half length of the interval defined by an upper and lower limit in which the true value lies with probability 50%. [Adapted from ISO 19138]

#### standardLinearError[0..1] : Real

Half length of the interval defined by an upper and lower limit in which the true value lies with probability 68.3%. [Adapted from ISO 19138]

#### linearMapAccuracy2Sigma[0..1] : Real

Half length of the interval defined by an upper and lower limit in which the true value lies with probability 90%. [Adapted from ISO 19138]

#### linearMapAccuracy3Sigma[0..1] : Real

Half length of the interval defined by an upper and lower limit in which the true value lies with probability 95%. [Adapted from ISO 19138]

#### linearMapAccuracy4Sigma[0..1] : Real

Half length of the interval defined by an upper and lower limit in which the true value lies with probability 99%. [Adapted from ISO 19138]

#### nearCertaintyLinearError[0..1] : Real

Half length of the interval defined by an upper and lower limit in which the true value lies with probability 99.8%. [Adapted from ISO 19138]

#### RMSError[0..1] : Real

Standard deviation where the true value is not estimated from the observations but known apriori. [Adapted from ISO 19138]

#### circularStandardDeviation[0..1] : Real

Radius describing a circle in which the true point location lies with the probability of 39.4%. [Adapted from ISO 19138]

#### circularErrorProbable[0..1] : Real

Radius describing a circle in which the true point location lies with the probability of 50%. [Adapted from ISO 19138]

#### circularMapAccuracyStandard[0..1] : Real

Radius describing a circle in which the true point location lies with the probability of 90%. [Adapted from ISO 19138]

#### circularError95[0..1] : Real

Radius describing a circle in which the true point location lies with the probability of 95%. [Adapted from ISO 19138]

#### circularNearCertaintyError[0..1] : Real

Radius describing a circle in which the true point location lies with the probability of 99.8%. [Adapted from ISO 19138]



IHO

## X.4 POSITIONAL UNCERTAINTY AND ACCURACY

International  
Hydrographic  
Organization

### RMSErrorPlanimetry[0..1] : Real

Radius of a circle around a given point in which the true value lies with true value P. [Adapted from ISO 19138].

### CMSError[0..1] : Real

The absolute horizontal accuracy of the data's coordinates expressed in terms of circular error at 90% probability given that a bias is present, per the equation in table D.48 in ISO 19138. [Adapted from ISO 19138].

### ACE\_CE90[0..1] : Real

The absolute horizontal accuracy of the data's coordinates expressed in terms of circular error at 90% probability given that a bias is present, per the equation in table D.49 in ISO 19138. [Adapted from ISO 19138].

### uncertaintyEllipse[0..1] : Record

A 2D ellipse with the two main axes indicating the direction and magnitude of the highest and lowest uncertainty of a 2D point. The data values are a record of real numbers corresponding to "phi" the bearing of the major semi-axis, and "a" and "b" the length of the two axes, per the equations in Table D.50 of ISO 19138. [Adapted from ISO 19138].

### confidenceEllipse[0..1] : Record

A 2D ellipse with the two main axes indicating the direction and magnitude of the highest and lowest uncertainty of a 2D point. The data values are a record of real numbers corresponding to "phi" the bearing of the major semi-axis, and "a" and "b" the length of the two axes, per the equations in Table D.51 of ISO 19138 and a significance level parameter. [Adapted from ISO 19138].

Source: S-100 Part 4c Metadata - Data Quality



IHO

# X.5 THEMATIC ACCURACY

International Hydrographic Organization

## X.5.1 Thematic Classification Correctness

- Thematic Classification Correctness is applicable for S-130 and follows the guidelines from S-100 Part 4c.
- S-130 products must be tested with Thematic Classification Correctness checks prior to release by the data producer. The data producer must review the check results and address any issues to ensure sufficient quality of the data products. The checks are listed in Annex X. Data should only be published if it passes the test.
- In terms of Thematic Classification Correctness, S-130 products shall at least populate **miscalculationRate** that is the number of incorrectly classified features in relation to the number of features that are supposed to be there.

### DQ\_ThematicClassificationCorrectness

Comparison of the classes assigned to features or their attributes to a universe of discourse. [Per ISO 19113].

For example, ground truth or reference dataset...

#### Public Attributes:

#### numberOfIncorrectlyClassifiedItems[0..1]: Integer

This data quality measure is a count of the number of incorrectly classified features. [Adapted from ISO 19138].

This is an integer count...

#### miscalculationRate[0..1]: Real

This data quality measure indicates the number of incorrectly classified features in relation to the number of features that are supposed to be there. [Adapted from ISO 19138].

This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio...

For example, if there are 1 items that are classified incorrectly and there are 100 of the items in the dataset then the ratio is 1/100 and the reported rate = 0.01...

#### misclassificationMatrix[0..1]: Integer Matrix

This data quality measure is a matrix of integer numbers that indicates the number of items of class (i) classified as class (j). The misclassification matrix is a quadratic matrix with n columns and n rows where n denotes the number of classes under consideration.  $MCM(i,j) = (\# \text{ items of class } (i) \text{ classified as class } (j))$ . The diagonal elements of the misclassified matrix contain the correctly classified items, and the off diagonal items contain the number of misclassified errors. [Adapted from ISO 19138].

#### relativeMisclassificationMatrix[0..1]: Real Matrix

This data quality measure is a matrix of real numbers that indicates the number of items of class (i) classified as class (j) divided by the number of items of class (i) \* 100 represented as a percentage. The misclassification matrix has n columns and n rows where n denotes the number of classes under consideration.  $RMCM(i,j) = (\# \text{ items of class } (i) \text{ classified as class } (j) / \text{ number of items of class } (i)) * 100$ . [Adapted from ISO 19138].

#### kappaCoefficient[0..1]: Real

This data quality measure is real number coefficient to quantify the proportion of agreement of assignments to classes by removing misclassifications. [Adapted from ISO 19138].

Source: S-100 Part 4c Metadata - Data Quality



IHO

# X.5 THEMATIC ACCURACY

International  
Hydrographic  
Organization

## X.5.2 Non-Quantitative Attribute Accuracy

- Non-Quantitative Attribute Accuracy is applicable for S-130 and follows the guidelines from S-100 Part 4c.
- S-130 products must be tested with Non-Quantitative Attribute Accuracy checks prior to release by the data producer. The data producer must review the check results and address any issues to ensure sufficient quality of the data products. The checks are listed in Annex X. it is allowable to publish the data with a quality statement which indicates non-conformance.
- The accuracy of non-quantitative attributes can be correct or incorrect. S-130 products shall at least populate **numberOfIncorrectAttributeValues** that is a count of all attribute values where the value is incorrect.

### DQ\_NonQuantitativeAttributeAccuracy

Correctness of non-quantitative attribute. [Per ISO 19115]

#### Public Attributes:

#### numberOfIncorrectAttributeValues[0..1] : Integer

This data quality measure is count of the total number of erroneous attribute values within the relevant part of the dataset. It is a count of all attribute values where the value is incorrect. [Adapted from ISO 19138]

#### rateOfCorrectAttributeValues[0..1] : Real

This data quality measure indicates the number of correct attribute values in relation to the total number of attribute values. [Adapted from ISO 19138]

This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio.

For example, if there are 97 correct attribute values and there are 100 attribute values in total in the dataset then the ratio is 97/100 and the reported rate = 0.97.

#### rateOfIncorrectAttributeValues[0..1] : Real

This data quality measure indicates the number of attribute values where incorrect values are assigned in relation to the total number of attribute values. [Adapted from ISO 19138]

This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio.

For example, if there are 3 incorrect attribute values and there are 100 attribute values in total in the dataset then the ratio is 3/100 and the reported rate = 0.03.

Source: S-100 Part 4c Metadata - Data Quality



IHO

## X.5 THEMATIC ACCURACY

### X.5.3 Quantitative Attribute Accuracy

- Quantitative Attribute Accuracy is applicable for S-130 and follows the guidelines from S-100 Part 4c.
- S-130 products must be tested with Quantitative Attribute Accuracy checks prior to release by the data producer. The data producer must review the check results and address any issues to ensure sufficient quality of the data products. The checks are listed in Annex X. it is allowable to publish the data with a quality statement which indicates non-conformance.
- The accuracy of quantitative attributes can be measured in terms of uncertainty intervals. S-130 products shall at least populate **attributeValueUncertainty2Sigma** that is half the length of the interval defined by an upper and lower limit in which the true value for the quantitative attribute lies with a probability of 90%.

#### DQ\_QuantitativeAttributeAccuracy

Accuracy of a quantitative attribute. [Per ISO 19115]

#### Public Attributes:

##### attributeValueUncertaintyMean[0..1] : Real

This data quality measure indicates the attribute value of uncertainty where half the length of the interval defined by an upper and lower limit in which the true value for the quantitative attribute lies with a probability of 50%. [Adapted from ISO 19138]

##### attributeValueUncertainty1Sigma[0..1] : Real

This data quality measure indicates the attribute value of uncertainty where half the length of the interval defined by an upper and lower limit in which the true value for the quantitative attribute lies with a probability of 68.3%. [Adapted from ISO 19138]

##### attributeValueUncertainty2Sigma[0..1] : Real

This data quality measure indicates the attribute value of uncertainty where half the length of the interval defined by an upper and lower limit in which the true value for the quantitative attribute lies with a probability of 90%. [Adapted from ISO 19138]

##### attributeValueUncertainty3Sigma[0..1] : Real

This data quality measure indicates the attribute value of uncertainty where half the length of the interval defined by an upper and lower limit in which the true value for the quantitative attribute lies with a probability of 95%. [Adapted from ISO 19138]

##### attributeValueUncertainty4Sigma[0..1] : Real

This data quality measure indicates the attribute value of uncertainty where half the length of the interval defined by an upper and lower limit in which the true value for the quantitative attribute lies with a probability of 99%. [Adapted from ISO 19138]

##### attributeValueUncertainty5Sigma[0..1] : Real

This data quality measure indicates the attribute value of uncertainty where half the length of the interval defined by an upper and lower limit in which the true value for the quantitative attribute lies with a probability of 99.8%. [Adapted from ISO 19138]

Source: S-100 Part 4c Metadata - Data Quality



**IHO**

## **X.6 TEMPORAL QUALITY**

International  
Hydrographic  
Organization

### **X.6.1 Temporal Consistency**

- Temporal Consistency isn't applicable for S-130.

### **X.6.2 Temporal Validity**

- Temporal Validity isn't applicable for S-130.

### **X.6.3 Temporal Accuracy**

- Temporal Accuracy isn't applicable for S-130.





# IHO X.7 AGGREGATION

International  
Hydrographic  
Organization

- Aggregation isn't applicable for S-130.

Table X.1 - IHO recommended quality elements and their relevance to S-130<sup>4</sup>

No. <sup>4</sup>	Data quality element and sub element <sup>4</sup>	Definition <sup>4</sup>	DQ measure / description <sup>4</sup>	Evaluation scope <sup>4</sup>	Scope in S-130 <sup>4</sup>
1 <sup>4</sup>	Completeness / Commission <sup>4</sup>	Excess data present in a dataset, as described by the scope. <sup>4</sup>	<u>numberOfExcessItems</u> / This data quality measure indicates the number of items in the dataset, that should not have been present in the dataset. <sup>4</sup>	dataset/dataset series <sup>4</sup>	All features and info types <sup>4</sup>
2 <sup>4</sup>	Completeness / Commission <sup>4</sup>	Excess data present in a dataset, as described by the scope. <sup>4</sup>	<u>numberOfDuplicateFeatureInstances</u> / This data quality measure indicates the total number of exact duplications of feature instances within the data. <sup>4</sup>	dataset/dataset series <sup>4</sup>	All features and info types <sup>4</sup>
3 <sup>4</sup>	Completeness / Omission <sup>4</sup>	Data absent from the dataset, as described by the scope. <sup>4</sup>	<u>numberOfMissingItems</u> / This data quality measure is an indicator that shows that a specific item is missing in the data. <sup>4</sup>	dataset/dataset series/spatial object type <sup>4</sup>	All features and info types <sup>4</sup>
4 <sup>4</sup>	Logical Consistency / Conceptual Consistency <sup>4</sup>	Adherence to the rules of a conceptual schema. <sup>4</sup>	<u>numberOfInvalidSurfaceOverlaps</u> / This data quality measure is a count of the total number of erroneous overlaps within the data. Which surfaces may overlap and which must not is application dependent. Not all overlapping surfaces are necessarily erroneous. <sup>4</sup>	spatial object / spatial object type <sup>4</sup>	Features with surface geometry; spatial objects of type surface <sup>4</sup>
5 <sup>4</sup>	Logical Consistency / Domain Consistency <sup>4</sup>	Adherence of the values to the value domains. <sup>4</sup>	<u>numberOfNonconformantItems</u> / This data quality measure is a count of all items in the dataset that are not in conformance with their value domain. <sup>4</sup>	spatial object / spatial object type <sup>4</sup>	All features and info types <sup>4</sup>
6 <sup>4</sup>	Logical Consistency / Format Consistency <sup>4</sup>	Degree to which data is stored in accordance with the physical structure of the data set, as described by the scope <sup>4</sup>	<u>physicalStructureConflicts</u> / This data quality measure is a count of all items in the dataset that are stored in conflict with the physical structure of the dataset. <sup>4</sup>	dataset/dataset series <sup>4</sup>	All features and info types <sup>4</sup>
7 <sup>4</sup>	Logical Consistency / Topological Consistency <sup>4</sup>	Correctness of the explicitly encoded topological characteristics of the dataset, as described by the scope. <sup>4</sup>	<u>rateOfFaultyPointCurveConnections</u> / This data quality measure indicates the number of faulty link-node connections in relation to the number of supposed link-node connections. This data quality measure gives the erroneous point-curve connections in relation to the total number of point-curve connections. <sup>4</sup>	spatial object / spatial object type <sup>4</sup>	Features with curve geometry; spatial objects of curve types <sup>4</sup>



# X.8 QUALITY MEASURE ELEMENTS

8 ↕	Logical Consistency / Topological Consistency ↕	Correctness of the explicitly encoded topological characteristics of the dataset, as described by the scope. ↕	<del>numberOfMissingConnectionsUndershoots</del> / This data quality measure is a count of items in the dataset within the parameter tolerance that are mismatched due to undershoots. ↕	spatial object / spatial object type ↕	Features with curve geometry; spatial objects of curve types↕
9 ↕	Logical Consistency / Topological Consistency ↕	Correctness of the explicitly encoded topological characteristics of the dataset, as described by the scope. ↕	<del>numberOfMissingConnectionsOvershoots</del> / This data quality measure is a count of items in the dataset within the parameter tolerance that are mismatched due to overshoots. ↕	spatial object / spatial object type ↕	Features with curve geometry; spatial objects of curve types↕
10 ↕	Logical Consistency / Topological Consistency ↕	Correctness of the explicitly encoded topological characteristics of the dataset, as described by the scope. ↕	<del>numberOfInvalidSlivers</del> / This data quality measure is a count of all items in the dataset that are invalid sliver surfaces. A sliver is an unintended area that occurs when a adjacent surfaces are not digitized properly. The borders of the adjacent surfaces may unintentionally gap or overlap to cause a topological error. ↕	dataset / dataset series ↕	Features with surface geometry; spatial objects of type surface↕
11 ↕	Logical Consistency / Topological Consistency ↕	Correctness of the explicitly encoded topological characteristics of the dataset, as described by the scope. ↕	<del>numberOfInvalidSelfIntersects</del> / This data quality measure is a count of all items in the dataset that illegally intersect with themselves. ↕	spatial object / spatial object type ↕	Features with surface geometry; spatial objects of type surface↕
12 ↕	Logical Consistency / Topological Consistency ↕	Correctness of the explicitly encoded topological characteristics of the dataset, as described by the scope. ↕	<del>numberOfInvalidSelfOverlap</del> / This data quality measure is a count of all items in the dataset that illegally self-overlap. ↕	spatial object / spatial object type ↕	Features with surface geometry; spatial objects of type surface↕
13 ↕	Positional Accuracy / Vertical Position Accuracy ↕	Closeness of reported coordinative values to values accepted as or being true. ↕	<del>linearMapAccuracy2Sigma</del> / Half length of the interval defined by an upper and lower limit in which the true value lies with probability 95%. ↕	spatial object / spatial object type ↕	NA. S-130 does not include vertical measurements.



# X.8 QUALITY MEASURE ELEMENTS

14 ↕	Positional Accuracy / Horizontal Position Accuracy ↕	Closeness of reported coordinative values to values accepted as or being true. ↕	linearMapAccuracy2Sigma / Half length of the interval defined by an upper and lower limit in which the true value lies with probability 95%. ↕	spatial object / spatial object type	Objects that have a horizontal coordinate values associated. ↕
15 ↕	Positional Accuracy / Gridded Data Position Accuracy ↕	Closeness of reported coordinative values to values accepted as or being true. ↕	<u>RMSerrorofplanimetry</u> / Radius of a circle around the given point, in which the true value lies with probability P. ↕	spatial object / spatial object type	NA. ↕
16 ↕	Temporal Quality / Temporal Consistency ↕	Consistency with time. ↕	Correctness of ordered events or sequences, if reported. ↕	dataset/dataset series/spatial object type ↕	NA. ↕
17 ↕	Thematic Accuracy / <u>ThematicClassificationCorrectness</u> ↕	Comparison of the classes assigned to features or their attributes to a universe of discourse. ↕	<u>miscalculationRate</u> / This data quality measure indicates the number of incorrectly classified features in relation to the number of features that are supposed to be there. [Adapted from ISO 19157] ↕ This is a RATE which is a ratio, and is expressed as a REAL number representing the rational fraction corresponding to the numerator and denominator of the ratio. ↕ For example, if there are 1 items that are classified incorrectly and there are 100 of the items in the dataset then the ratio is 1/100 and the reported rate = 0.01. ↕	dataset/dataset series/spatial object type ↕	All features and info types ↕
18 ↕	Aggregation Measures / <u>AggregationMeasures</u> ↕	In a data product specification, several requirements are set up for a product to conform to the specification. ↕	<u>DataProductSpecificationPassed</u> / This data quality measure is a boolean indicating that all requirements in the referred data product specification are fulfilled. ↕	dataset/dataset series/spatial object type ↕	NA ↕
19 ↕	Aggregation Measures / <u>AggregationMeasures</u> ↕	In a data product specification, several requirements are set up for a product to conform to the specification. ↕	<u>DataProductSpecificationFailRate</u> / This data quality measure is a number indicating the number of data product specification requirements that are not fulfilled by the current product/dataset in relation to the total number of data product specification requirements. ↕	dataset/dataset series/spatial object type ↕	NA ↕



IHO

## 4. ACTIONS

International  
Hydrographic  
Organization

The S-130PT is requested to:

- a. Note the information provided;
- b. Review the draft data quality chapter.